Chief Secretary's Office, Adelaide, January 8th, 1894.

THE following Returns of Births and Deaths registered in South Australia during the undermentioned period are published for general information.

J. H. Gordon, Chief Secretary.

Return of Births and Deaths registered in South Australia, exclusive of the Northern Territory, in the Month of November, 1893.

Years	1888.	1889.	1890.	1891.	1892.	Average of Five					. 1	893.						Total
*Population, Nov. 1st	305,291	309,171	312,286	317,912	328,424	Years.	339,892							1893.				
Births	792	792	772	909	875	828	843							9,944				
Rate per cent	•259	•256	.247	•286	•266	_	•248											
Deaths—							All Ages.	Under 1 year.	l and under 5.	6 and under 20	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Not stated.	+Coroners, Inquiries.	‡Uncerti- fied causes of Death.	
All causes	316	283	292	485	295	334	452	148	79	46	53	49	58	18	1	49	18	4,067
Rate per cent	•104	-092	.094	•153	.090		•132	_	_		_	-		_	_	_	_	
Diseases—  I. Specific Febrile or Zymotic II. Parasitic IV. Constitutional v. Developmental	57 2 3 54 28	40 1 2 48 18	44 1 2 53 23	$ \begin{array}{c c} 125 \\ \hline  7 \\ 62 \\ 43 \end{array} $	34 1 		126 3 7 63 48	48 1 6 3 17	45	18 - 9	$\frac{10}{1}$	2 - 1 13	3 — 14 18					
vi. Local vii. Violence viii. Violence viii. Ill-defined and not specified causes viii.	134 18	143 16	141 15	199 19	140 20	_	151 20 34	42 1 30	24 1	13 6	18 7	29 3	21 1	4		_		,

<sup>\*</sup> The numbers represent the population of South Australia proper, and are exclusive of that of the Northern Territory (European and Chinese); and also of the number of the aborigines. 

† Including inquests. 

† Not certified by qualified practitioners.

## Causes of Deaths registered in the Month of November, 1893.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and bove.
I,								
Measles	8	38	V.			Diseases of locomotive sys-		
Scarlet fever	_	_	Premature birth	14		tem	_	_
Relapsing fever			Cyanosis			Diseases of integumentary		
Influenza	_	5	Congenital defects,	3		system	1	
Whooping-cough	11	5	Old age	_	31	VII.		
Diphtheria		8	VI.			(Accident.)		
Simple and ill-defined fever	_	1	Apoplexy		4	Fracture and contusion	_	10
Enteric fever	_	5	Epilepsy		1	Gunshot wound		_
Simple cholera	1		Convulsions	6	4	Cut, stab	_	-
Diarrhœa, dysentery	28	13	Other diseases of brain and			Burn and scald	_	3
Remittent fever	_	_	nervous system	6	14	Poison	_	_
Venereal affections		1	Diseases of organs of special			Drowning		1
Erysipelas	_		sense	_	_	Suffocation	1	_
Pyæmia and septicæmia	_	_	Diseases of circulatory sys-			Otherwise	_	
Puerperal fever	_		tem		26	(Homicide.)		
Other zymotic diseases	_	2	Croup	_	3	Murder and manslaughter		2
II.			Bronchitis	7	8	Justifiable homicide		
Thrush	1	1	Pneumonia	3	13	(Suicide.)		
Worms and other parasitical			Pleurisy	_	2	Gunshot wound		1
diseases		1	Other diseases of respiratory			Cut, stab	_	
diseases			system	1	5	Poison		1
Privation-want of breast milk	6		Dentition	4	4	Drowning		-
Alcoholism	_	1	Quinsy, sore throat		- I	Hanging	-	1
IV.		1	Enteritis	11	2	Otherwise	-	_
Rheumatic fever and rheuma-			Peritonitis	_	2	VIII.		
tism of heart		_	Diseases of liver		2	Dropsy		1
Rheumatism	_	_	Other diseases of digestive			Debility, atrophy, inanition	29	2
Gout		2	system	3	6	Mortification	_	
Cancer, malignant disease		17	Diseases of lymphatic sys-			Tumor	_	1 1
Tabes mesenterica	_	1	tem and of ductless glands	_	1	Abscess	_	
Tubercular meningitis	2	5	Diseases of urinary system	_	10	Hæmorrhage		
Phthisis	_	23	Diseases of generative sys-			Sudden, cause unascertained		
Scrofula, tuberculosis	1	10	tem	_	_	Other ill-defined and not		The state of the s
Other constitutional diseases		4	Accidents of childbirth	_	2	specified causes	1	

Return of Births and Deaths registered in the City of Adelaide in the Month of November, 1888-93.

Years	1888.	1889.	1890.	1891.	1892.	Average of Five					18	893.						Total for
Population, Jan. 1st	36,219	36,400	37,189	37,727	38,240	Years.					39,	073						1893.
Births	91	90	66	115	98	92	92								1,113			
Rate per cent	•251	•247	.177	*305	•256	_					•2	36						
Deaths—	.,	75.3		lc.			All Ages.	Under 1 year.	l and under 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Not stated.	*Coroner's inquiries.	+Uncerti- fied sauses of death.	
All causes	78	58	53	84	65	68	85	20	10	15	14	12	11	3	_	5		908
Rate per cent	.215	159	•143	•223	•170	Pr. 1	•218		_	-	_			_	_	_	-	78 17
Diseases—  1. Specific Febrile or Zymotic. 11. Parasitic 111. Dietic 112. Constitutional. v. Developmental vi. Local vii. Violence 113. Ill-defined and not specified causes	17 1 	2 1 1 13 6 26 4	6 1 1 11 5 25 4	19 -4 12 7 37 -	10 - 18 2 27 6		7 1 3 20 9 31 5	3 -3 -3 4 -7	3 - 3 - 4 -	1 - 5 - 5 4		- - 3 - 8 -	1 4 5	2				

\*Including inquests.

inquests. +Not certified by qualified practitioners.

Causes of Deaths registered in the Month of November, 1893.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.	THE Y AND THE REST.	Under One Year.	One Year and Above.
Measles Scarlet fever Relapsing fever Influenza Whooping-cough Diphtheria Simple and ill-defined fever Enteric fever Simple cholera Diarrhœa, dysentery Remittent fever Venereal affections Erysipelas Pyæmia and septicæmia Puerperal fever	3		Scrofula, tuberculosis Other constitutional diseases  V. Premature birth Cyanosis Congenital defects Old age  VI. Apoplexy Epilepsy Convulsions Other diseases of brain and nervous system	3   1	3 2 - - 6 1 2 7	Accidents of childbirth Diseases of locomotive system Diseases of integumentary system  VII. (Accident.) Fracture and contusion Gunshot wound Cut, stab Burn and scald Poison Drowning Suffocation Otherwise  (Homicide.)		2 - 2 - 2 1 -
Other zymotic diseases  II. Thrush Worms and other parasitical diseases  III. Privation—want of breast milk	3	1	Diseases of organs of special sense Diseasesof circulatory system Croup Bronchitis Pneumonia Pleurisy Other diseases of respiratory system			Murder and manslaughter.  (Suicide.) Gunshot wound Cut, stab Poison Drowning Hanging Otherwise		- 111111
IV. Rheumatic fever and rheumatism of heart Rheumatism Gout Cancer, malignant disease Tabes mesenterica Tubercular meningitis Phthisis			Dentition Quinsy, sore throat Enteritis Peritonitis Diseases of liver Other diseases of digestive system Diseases of lymphatic system and of ductless glands Diseases of urinary system Diseases of generative system	2	- - 1 1 2 - 4	VIII. Dropsy Debility, atrophy, inanition Mortification Tumor Abscess Hæmorrhage Sudden, cause unascertained Other ill-defined and not specified causes	7	- 1 - 1 - -

Return of Births and Deaths registered in each Ward of the City of Adelaide, exclusive of Deaths in Public Institutions, of persons not usually resident in the city, in the Month of November. 1893.

	Total.	Hindmarsh.	Gawler.	Grey.	Young.	Robe.	MacDonnell.
Area in acres	3,632	573	659	552	718	480	650
Estimated population January 1st	39,073	6,217	6,873	8,070	9,405	3,666	4,842
Persons to an acre	10.8	10.8	10.4	14.6	13.1	7.6	7.4
Births Male Female	92 46 46	18 10 8	17 7 10	20 10 10	19 11 - 8	3 1 2	15 7 8
Deaths	72 38 34	14 5 9	13 7 6	17 10 7	15 6 9	6 5 1	7 5 2
CLASSES.  1. Specific Febrile or Zymotic Diseases  11. Parasitic Diseases  11. Dietic Diseases  12. Constitutional Diseases  23. V. Developmental Diseases  24. I.ocal Diseases  25. VI. Violence  26. VII. Ill-defined and not specified causes  Percentage of Deaths to population of each Ward	7 1 3 15 9 27 2 8	1  5 2 3  3	2 - 2 2 6 - 1	2 2 2 1 10 1 1 1	3 1 1 2 3 3 - 2	2 3 -1	1 

Causes of Deaths registered in the Month of November, 1893.

•	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above.
I.			Phthisis		7	Accidents of childbirth		
Measles	_	-	Scrofula, tuberculosis	-	1	Diseases of locomotive system		
Scarlet fever			Other constitutional diseases.		2	Diseases of integumentary		
Relapsing fever		_				system	_	_
Influenza	_	_	V.					
Whooping-cough	_	-	Premature birth	3	_		1	
Diphtheria	-	2	Cyanosis	_		VII.		
Simple and ill-defined fever	-	1	Congenital defects			(Accident.)		
Enteric fever	-	_	Old age	_	6	Fracture and contusion		1
Simple cholera	_					Gunshot wound	-	
Diarrhœa, dysentery	3	1	VI.			Cut, stab	-	-
Remittent fever	-	_	Apoplexy	_	1	Burn and scald	_	
Venereal affections	_	_	Epilepsy	_		Poison	-	_
Erysipelas	_		Convulsions	1	2	Drowning	-	1
Pyæmia and septicæmia	-	_	Other diseases of brain and	,		Suffocation	_	-
Puerperal fever	_		nervous system	1	6	Otherwise		
Other zymotic diseases			Diseases of organs of special			(Homicide.)	,	
II.			sense		6	Murder and manslaughter	_	
			Diseases of circulatory system		_	(Suicide.) Gunshot wound		
Thrush		-	Croup			Cut stab	-	_
diseases	_	1	Pneumonia	-	3	Cut, stab	_	-
diseases		1	Pleurisy	_	_	Poison	_	
III.			Other diseases of respiratory			Drowning		
Privation — Want of breast		i	system	_		Hanging Otherwise		
milk	3		Dentition	2		Otherwise		
Alcoholism	_		Quinsy, sore throat	_		VIII.		
210020202			Enteritis			Dropsy		
IV.			Peritonitis			Debility, atrophy, inanition	7	
Rheumatic fever and rheu-			Diseases of liver			Mortification		
matism of heart	-	_	Other diseases of digestive			Tumor	_	1
Rheumatism	-	_	system	_	2	Abscess		_
Fout	_	-	Diseases of lymphatic system			Hæmorrhage		
Cancer, malignant disease	-	1	and of ductless glands			Sudden, cause unascertained.		
Tabes mesenterica	-	-	Diseases of urinary system	_	3	Other ill-defined and not spe-		
Subercular meningitis	-	4	Diseases of generative system			cified causes		

## NOVEMBER, 1893.

The highest temperature in the shade at the Adelaide Observatory during the month was 90°.5 on the 17th; and the lowest, 47°.0, on the 28th. The mean temperature of the month was 65°.4.

The greatest range of the thermometer in one day, 40°.0, took place on the 6th, viz., from a maximum of 88°.3 to a minimum of 48°.3; the lowest range, 13°.5, on the 8th.

The mean height of the barometer was 29.833 inches; the maximum, 30.153 inches, occurred on the 30th; and the minimum, 29.349 inches, on the 2nd

on the 2nd. Observatory, Adelaide, December 4th, 1893.

C. Todd, Observer.